

Form Promise 9	Commerce Patent	ATTY DOCKET NO: P-IX 5066	SERIAL NO 09/997, 269
and Trademark Office	APPLICANT: William D. Huse	PR 2 3	
INFORMATION DI		FILING DATE: November 28, 2001	GROUP: 600 200 200 200 200 200 200 200 200 200

U.S. PATENT DOCUMENTS

		0.5. 12	IIIMI DOCOMINIO			
EXAM. INITIALS	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE
The	4,959,317	9/25/90	Sauér	435	172.3	4/29/87
	5,264,563	11/23/93	Huse	536	25.3	12/14/92
	5,462,856	10/31/95	Lerner et al.	435	7.21	6/16/91
	5,523,388	6/4/96	Huse	536	22.1	2/27/95
	5,830,721	11/3/98	Stemmer et al.	435	172.1	
	6,063,630	5/16/00	Treco et al.	435	463	4/20/94
	6,132,970	10/17/00	Stemmer	435	6	6/19/98
V	US6,180,406B1	1/30/01	Stemmer	435	440	6/17/98

FOREIGN PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLATION (YES/NO)
Thu	WO/96 41169	12/19/96	PCT	GO1N	33/53	
		·				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages)

EXAMINER T. Westerly	DATE	CONSIDER 3ん/	ED /03

RECEIVED

APR 9 5 2002

TECH UZNICH 1600/2900


Form PTO 4449 SERIAL NO. Department of ATTY DOCKET NO: Commerce Patent P-IX 5066 09/997,209 and Trademark APPLICANT: Office William D. Huse GROUP: 37 INFORMATION DISCLOSURE FILING DATE: STATEMENT BY APPLICANT November 28, 2001

taus	Baubonis and Sauer, "Genomic targeting with purified Cre recombinase," Nucleic Acids Res. 21:2025-2029 (1993).
	Bethke and Sauer, "Segmental genomic replacement by Cre-mediated recombination: genotoxic stress activation of the p53 promoter in single-copy transformants," <u>Nucleic Acids Res.</u> 25:2828-2834 (1997).
	Bethke and Sauer, "Rapid generation of isogenic mammalian cell lines expressing recombinant transgenes by use of cre recombinase," Gene Targeting Protocols (edited by Eric B. Kmiec) Humana Press, Totowa NJ pp. 75-84 (2000).
	Biard-Piechaczyk et al., "Human single-chain Fv fragments from a combinatorial library using the loxP-Cre recombination system," <u>Human Antibodies</u> 9:67-77 (1999).
	Boder and Wittrup, "Yeast surface display for screening combinatorial polypeptide libraries," Nat. Biotechnol. 15:553-557 (1997).
	Carstens et al. "A system utilizing Epstein-Barr virus-based expression vectors for the functional cloning of human fibroblast growth regulators," Gene 164:195-202 (1995).
	Chang et al., "Evolution of a cytokine using DNA family shuffling," Nat. Biotechnol. 17:793-797 (1999).
	Christians et al., "Directed evolution of thymidine kinase for AZT phosphorylation using DNA family shuffling," Nat.Biotechnol. 17(3):259-264 (1999).
-	Crameri and Stemmer, "10(20)-fold aptamer library amplification without gel purification," Nucleic Acids Res. 21(18):4410 (1993).
	Crameri et al., "DNA shuffling of a family of genes from diverse species accelerates directed evolution," Nature 391:288-291 (1998).

EXAMINER	DATE CONSIDERED	
1' Wenceyl	<u> </u>	

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1449.pat



	ő (
The	Crameri and Stemmer, "Combinatorial multiple cassette mutagenesis creases all the permutations of mutant and wild-type sequences," BioTechniques-18 (2):194-196 (1995).
	Crameri et al., "Improved green fluorecent protein by molecular evolution using DNA shuffling," Nat. Biotechnol. 14(3):315-319 (1996).
	Crameri et al., "Molecular evolution of an arsenate detoxification pathway by DNA shuffling," Nat. Biotechnol. 15:436-438 (1997).
	Crameri et al., "Construction and evolution of antibody-phage libraries by DNA shuffling," Nat. Med. 2(1):100-102 (1996).
	Deng and Capecchi, "Reexamination of gene targeting frequency as a function of the extent of homology between the targeting vector and the target locus," Mol. Cell. Biol. 12:3365-3371 (1992).
	Dumas et al., "Crystal structure and site-directed mutagenesis of a bleomycin resistance protein and their significance for drug sequestering," EMBO J. 13:2483-2492 (1994).
	Dymecki, "Flp recombinase promotes site-specific DNA recombination in embryonic stem cells and transgenic mice," Proc. Natl. Acad. Sci. USA 93:6191-6196 (1996).
	Freier et al., "'Mutational SURF': a stategy for improving lead compounds identified from combinatorial libraries," Bioorganic Medicinal Chem. 4:717-725 (1996)
-	Freier et al., "Deconvolution of combinatorial libraries for drug discovery: a model system," <u>J. Med. Chem.</u> 38:344-352 (1995)
	Fukushige and Sauer, "Genomic targeting with a positive-selection lox integration vector allows highly reproducible gene expression in mammalian cells." Proc. Natl. Acad. Sci. USA 89:7905-7909 (1992).

EXAMINER	DATE CONSIDERED
1. Wisardy	3/21/03



Form PTO 14 Commerce Patent	ATTY DOCKET NO: P-IX 5066	SERIAL NO. 09/997,209
and Trademark Office	APPLICANT: William D. Huse	TE
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: November 28, 2001	GROUP; APR
· 		7 2

Fukushige and Ikeda, "Trapping of mammalian promoters by cre-lox si THO specific recombination," DNA Research 3:73-80 (1996). Gagneten et al., "Brief expression of a GFP *cre* fusion gene in embr**y⊖**nic stem cells allows rapid retrieval of a site-specific genomic deletions," Nucleic Acids Res., 25(16):3326-3331 (1997). Gates et al., "Affinity selective isolation of ligands from peptide libraries through display on a lac repressor 'headpiece dimer'" J. Mol. Biol. 255(3):373-386 (1996). Gatignol et al., "Bleomycin resistance conferred by a drug-binding protein," <u>FEBS Lett.</u> 230:171-175 (1988). Glaser et al., "Antibody engineering by codon-based mutagenesis in a filamentous phage vector system," J. Immunol. 149:3903-3913 (1992). Gluzman, "SV40-transformed simian cells support the replication of early SV40 mutants," Cell 23:175-182 (1981). Hoess et al., "The role of the loxP spacer region in Pl site-specific recombination," Nucleic Acids Res. 14:2287-2300 (1986). Huse et al., "Application of a Filamentous Phage pVIII Fusion Protein System Suitable for Efficient Production, Screening, and Mutagenesis of F(ab) Antibody Fragments" <u>J. Immunol.</u> 149:3914-3920 (1992). Jimenez-Montano et al., "The hypercube structure of the genetic code explains conservative and non-conservative amino acid substitution in vivo and in vitro," Biosystems, 39(2):117-125 (1996).

EXAMINER T. Wusneld	DATE CONSIDERED	
3 <i>1</i>	•	

libraries, " Proc. Natl. Acd. Sci. USA 92:9146-9150 (1995).


screening, " Inter. J. Hematol. 67:351-359 (1998).

Kitamura et al., "Effecient screening of retroviral cDNA expression

Kitamura, "New experimental approaches in retrovirus-mediated expression

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1449.pat



Tho	Konings et al., "Deconvolution of combinatorial libraries for drug discovery: theoretical comparison of pooling strategies," <u>J. Med. Chem.</u> 39:2710-2719 (1996)
	Kunkel et al., "Rapid and efficient site-specific mutagenesis without phenotypic selection," Methods Enzymol. 154:367-382 (1987).
	Kunkel, "Rapid and efficient site-specific mutagenesis without phenotypic selection," Proc. Natl. Acad. Sci. USA 82:488-492 (1985).
	Lacy et al, "A foreign β -globin gene in transgenic mice: integration at abnormal chromosomal positions and expression in inappropriate tissues," Cell, 34:343-358 (1983).
	Lam, "Application of combinatorial library methods in cancer research and drug research," Anti-Cancer Drug Design 12:145-167 (1997)
	Le et al., "Nuclear targeting determinants of the phage Pl cre DNA recombinants," Nucleic Acids Res. 27(24):4703-4709 (1999).
	Lewis et al., "Similarity measures for rational set selection and analysis of combinatorial libraries: the diverse property-derived (DPD) approach," J. Chem. Inf. Comput. Sci. 37:599-614 (1997)
	Lin et al., "Recombination in mouse L cells between DNA introduced into cells and homologous chromosomal sequences" Proc. Natl. Acad. Sci. USA 82:1391-1395 (1985).
	Mack et al., "Stoichiometry of the cre recombinase bound to the lox recombining site," Nucleic Acids Res., 20(17):4451-4455 (1992).
	Mao et al., "Improved reporter strain for monitoring cre recombinase-mediated DNA excisions in mice," Proc. Natl. Acad. Sci. USA 96:5037-5042 (1999).
V	Minshull and Stemmer, "Protein evolution by molecular breeding," <u>Curr.</u> Opin. Chem. Biol. 3(3):284-290 (1999).

EXAMINER	· · · · · · · · · · · · · · · · · · ·		DATE CONSIDERED	
	1,	Wissendy	9/21/07	



Form PTO 1 Department of Commerce Patent	ATTY DOCKET NO: P-IX 5066	SERIAL NO. 09/997,209
and Trademark Office	APPLICANT: William D. Huse	ECH CE
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: November 28, 2001	GROUP: 7 III

	20
The	Nehls et al., "Two large insert vectors, lambda PS and lambda KO, facilitate mapping and targeted disruption of mammalian genes," Biotechniques 17(4):770-775 (1994).
	Ness et al., "DNA Shuffling of a subgenomic sequences of subtilisin," Nature Biotech. 17:893-896 (1999).
	O'Gorman et al., "Recombinase-mediated gene activation and site-specific integration in mammalian cells," Science 251:1351-1355 (1991).
	Onishi et al., "identification of an oncogenic form of the thrombopoietin receptor MPL using retrovirus-mediated gene transfer," <u>Blood</u> 88(4):1399-1406 (1996).
	Patten et al., "Applications of DNA shuffling to pharmaceuticals and vaccines," Curr. Opin. Biotechnol. 8(6):724-733 (1997).
	Pausch, "G-protein coupled receptors in Saccharomyces cerevisiae: high throughput screening assays for drug discovery," TIBTECH 15:487-494 (1997).
	Pear et al., "Production of high-titer helper-free retroviruses by transient transfection," Proc. Natl. Acd. Sci. USA 90:8392-8396 (1993).
	Peet et al., "Engineering novel specificities for ligand-activated transcription in the nuclear hormone receptor RXR," Chem. & Biol. 5(1):13-21 (1998).
	Rayner and Gonda, "A simple and efficient procedure for generating stable expression libraries by cDNA cloning in retroviral vector," Mol. Cell.Biol. , 14(2):880-887 (1994).
	Sauer et al., "Construction of isogenic cell lines expressing human and rat angiotensin II AT receptors by Cre-mediated site-specific recombination," Methods: A Companion to Methods in Enzymology 4:143-149 (1992).

EXAMINER	DATE CONSIDERED
J. Wirand	3 (21 O7

Form PTO 1449 Commerce Patent	ATTY DOCKET NO: P-IX 5066	SERIAL NO. 09/997,20
and Trademark Office	APPLICANT: William D. Huse	H CEN.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: November 28, 2001	GROUP: 男 另 16#5 ⁹

Sauer and Henderson, "Cre-stimulated recombination at loxP-containing DNA JHW sequences placed into the mammalian genome," Nucleic Acids Res. 17(1):147-161 (1989). Sauer and Henderson, "Site-specific DNA recombination in mammalian cells by the cre recombinase of bacteriophage Pl," Proc. Natl. Acad. Sci. USA 85:5166-5170 (1988). Saur and Henderson, "Targeted insertion of exogenous DNA into the eukaryotic genome by the cre recombinase," The New Biologist 2(5):441-449 (1990).Sauer B., "Manipulation of transgenes by site-specific recombination: use of cre recombinase," Methods Enzymol. 225:890-900 (1993). Sauer B., "Multiplex cre/lox recombination permits selective sitespecific DNA targeting to both a natural and an engineered site in the yeast genome, "Nucleic Acids Res., 24(23):4608-4613 (1996). Sauer B., "Functional expression of the cre-lox site-specific recombination system in the yeast saccharomyces cerevisiae, " Mol. Cell. Biol. 7:2087-2096 (1987). Sauer B., "Site-specific recombination: development and applications," Curr. Opin. Biotechnol. 5(5):521-527 (1994). Seed and Aruffo, "Molecular cloning of the CD2 antigen, the T-cell erythrocyte receptor, by a rapid immunoselection procedure," Proc. Natl. Acad. Sci. USA 84:3365-3369 (1987). Shusta et al., "Yeast polypeptide fusion surface display levels predict thermal stability and soluble secretion efficiency," J. Mol. Biol., 292(5):949-956 (1999). Soker et al., "Neuropilin-1 is expressed by endothelial and tumor cells as an isoform-specific receptor for vascular endothelial growth factor," Cell 92:735-745 (1998).

EXAMINER T. Wissenfol	DATE CONSIDERED



Form PTO 1442 AND S Department of Commerce Patent	ATTY DOCKET NO: P-IX 5066	SERIAL NO. 09/997,2 <u>0</u> 9
and Trademark Office	APPLICANT: William D. Huse	АР
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: November 28, 2001	GROUP: 7 NTER 2 3

Stemmer et al., "Single-step assembly of a gene and entire plasmid from large numbers of oligodeoxyribonucleotides, " Gene 164(1):49-53 (1995). Stemmer, "The evolution of molecular computation," Science 270(5241):1510 (1995).Stemmer, "Rapid evolution of a protein in vitro by DNA shuffling," Nature 370:389-391 (1994). Stemmer et al. "Selection of an active single chain FV antibody from a protein linker library prepared by enzymatic inverse PCR," BioTechniques 14(2):256-265 (1993). Stemmer, "DNA shuffling by random fragmentation and reassembly: In vitro recombination for molecular evolution, " Proc. Natl. Acad. Sci. USA 91:10747-10751 (1994). Stemmer et al., "Increased antibody expression from escherichia coli through wobble-base library mutagenesis by enzymatic inverse PCR," Gene 123(1):1-7 (1993). Stemmer and Morris, "Enzymatic inverse PCR: a restriction site independent, single-fragmentmethod for high-efficiency, site-directed mutagenesis," BioTechniques 13(2):214-220 (1992). Sternberg and Hamilton, "Bacteriophage P1 site-specific recombination. II. Recombination between loxP and the bacterial chromosome," J. Mol. Biol. 150:487-507 (1981). Sternberg et al., "Bacteriophage P1 site-specific recombination. I. Recombination between loxP sites, " J. Mol. Biol. 150:467-486 (1981). Sternberg et al., "Display of peptides and proteins on the surface of bacteriophage lambda, " Proc. Natl, Acad. Sci. USA, 92(5):1609-1613 (1995).

	EXAMINER T. Wissen	DATE CONSIDERED $3/21/03$
--	--------------------	---------------------------



Form PTO 144 Department of Commerce Patent and Trademark Office	ATTY DOCKET NO: P-IX 5066	SERIAL NO. 09/997,209
	APPLICANT: William D. Huse	TECH
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: November 28, 2001	GROUP: CH APR 1645 39 NI R

	16C 2r
The	Thomas et al., "High frequency targeting of genes to specific sites in the mammalian genome," Cell, 44:419-428 (1986).
	Tobin et al., "Colorless green ideas" <u>Nature Biotech.</u> 17:333-334 (1999).
	Tsurushita et al., "Phage display vectors for in vivo recombination of immunoglobulin heavy and ligh chain genes to make large combinatorial libraries," Gene 172(1): 59-63 (1996).
	Waterhouse et al., "Combinatorial infection and in vivo recombination: a strategy for making large phage antibody repertoires," Nucleic Acids Res., 21(9):2265-2266 (1993).
	Watkins et al., "Determination of the relative affinities of antibody fragments expressed in <i>Escherichia coli</i> by enzyme-linked immunosorbent assay," Anal. Biochem. 253: 37-45 (1997).
	Wild et al., "Targeting and retrofitting pre-existing libraries of insertions with FRT and oriV elements for in-vivo generation of large quantities of any genomic fragment," Gene 223(1-2):55-66 (1998).
	Wilson-Lingardo et al., "Deconvolution of combinatoral libraries for drug discovery: experimental comparison of pooling strategies," <u>J. Med. Chem.</u> 39:2720-2726 (1996).
	Wu et al., "Humanization of a murine monoclonal antibody by simultaneous optimization of framework and CDR residues," <u>J. Mol. Biol.</u> 294:151-162 (1999)
	Wu et al., "Stepwise in vitro affinity maturation of Vitaxin, an $\alpha_{\nu}\beta_{3}$ -specific humanized mAb," Proc. Natl. Acad. Sci. USA 95:6037-6042 (1998)
	Yamasaki et al., "Cloning and expression of the human interleukin-6 (BSF-2/IFNB 2) receptor," Science 241:825-828 (1988).

EXAMINER	DATE CONSIDERED
1' Wining	3/21/03

6	PE	·c,
	2 2 200	
	APR	8

orm PTO 1449 Commerce Patent	ATTY DOCKET NO: P-IX 5066	SERIAL NO. 09/9974,20	9 .
and Trademark Office	APPLICANT: William D. Huse	DH CEN	APR
NFORMATION DISCLOSURE TATEMENT BY APPLICANT	FILING DATE: November 28, 2001	GROOF	232
		00/29) 200
Yokota et al., "Use of a cDNA expression vector for isolation of mouse interleukin 2 cDNA clones: expression of T-cell growth-factor activity after transfection of monkey cells," Proc. Natl. Acad. Sci. usa 82:68-72 (1985).			

180	Yokota et al., "Use of a cDNA expression vector for isolation of mouse interleukin 2 cDNA clones: expression of T-cell growth-factor activity after transfection of monkey cells," Proc. Natl. Acad. Sci. USA 82:68-72 (1985).
	Zahra et al., "Selectable in-vivo recombination to increase antibody library sizean improved phage display vector system," Gene 227(1) 49-54 (1999).
	Zhang et al., "Directed evolution of a fucosidase from a galactosidase by DNA shuffling and screening," Proc. Natl. Acad. Sci. USA 94:4504-4509 (1997).
	Zheng and Kyle, "Computational screening of combinatorial libraries," Bioorganic Medicinal Chem. 4:631-638 (1996).

EXAMINER	TE CONSIDERED
1. Wesserd 9	141/03

SEP 3 0 2002 Form Pio 1449 US Department of RADEM Commerce Patent ATTY DOCKET NO: SERIAL NO. Commerce Patent P-IX 5066 09/997,209 and Trademark APPLICANT: Office William D. Huse GROUP: INFORMATION DISCLOSURE FILING DATE: STATEMENT BY APPLICANT November 28, 2001 1645

U.S. PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE

FOREIGN PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLATION (YES/NO)

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages)

,	OTHER DOCUMENTS (Including Author, little, Date, Pertinent Pages)
thu	Bode et al., "The transgeneticist's toolbox: novel methods for the targeted modification of eukaryotic genomes," Biol. Chem. 381:801-813 (2000).
	Bouhassira et al., "Transcriptional behavior of LCR enhancer elements integrated at the same chromosomal locus by recombinase-mediated cassette exchange," Blood 90:3332-3344 (1997).
	Choi et al., "A new approach for the identification and cloning of genes: the pBACwich system using Cre/lox site-specific recombination," <u>Nucleic Acids Res.</u> 28(7):e19 (2000).
	Feng et al., "Site-specific chromosomal integration in mammalian cells: highly efficient CRE recombinase-mediated cassette exchange," <u>J. Mol. Biol.</u> 292:779-785 (1999).
	Seibler et al., "DNA cassette exchange in ES cells mediated by FLP recombinase: an efficient strategy for repeated modification of tagged loci by marker-free constructs," Biochem. 37:6229-6234 (1998).

EXAMINER J. Weron	DATE CONSIDERED 3/21/03	
		=

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED

1449.pat

SEP 0 3 2002

Form PTO 1449 US Department of Commerce Patent	ATTY DOCKET NO: SERIAL NO. 09/997,209		
and Trademark Office	APPLICANT: William D. Huse		
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: November 28, 2001	GROUP:	

tdw		Soukharev et al., "Segmental genomic replacement in embryonic stem cells by double <i>lox</i> targeting," <u>Nucleic Acids Res.</u> 27(18):e21 (1999).
		•
····		
· · · · · · · · · · · · · · · · · · ·		
**		
	<u> </u>	
	<u> </u>	

RECEIVED

SEP 0 3 2002 TECH CENTER 1600/2900

EXAMINER T. Weiserby	DATE CONSIDERED